

SFS

Woodgrip+



**Pierces multiple panel layers
without leaving debris or burrs**

The fastener of the future is now a reality

Introducing the new Woodgrip+

The Woodgrip+ is a fastener the contractor will be asking for. The Woodgrip+ installs quickly, debris-free, and pierces multiple panel layers without the need to pre-drill. Make your job easier with the the Woodgrip+, the fastener you've been waiting for.

High 1/4" hex washer head — provides driving stability



Control seal washer — for ultimate weathertightness

Exclusive thread design — for fast and easy installation

Aggressive threads — reduces burrs and metal chips

Superior corrosion resistant coating — protects the entire fastener, not just the head and minimizes potential panel corrosion

Innovative point design* — easily pierces multiple metal panel layers with no need for pre-drilling



Unique, innovative thread design pierces multiple layers of metal panels without pre-drilling. Plus, leaves no debris or metal chips behind.

Speed and ease of installation

- Innovative point and thread design produces the best installation experience
- Pierces panel quickly versus the slow drilling action of other fasteners
- No metal chips left on roof that drill point fasteners create

Weathertight Security

- Superior control seal washer withstands overdriving without deformation providing ultimate resistance to leaks
- Higher fastener strip out values resulting in less potential leaks

Corrosion resistance

- VistaCoat® premium system coating on the entire fastener, not just the head
 - Non-conductive sealing material minimizes potential panel corrosion
 - VistaCoat® limited warranty
-

How the Woodgrip+ design works.

Stage 1



Innovative point pierces metal panel

Stage 2



The aggressive thread reduces burrs and metal chips

Stage 3



Exclusive thread design makes the installation fast and easy

Stage 4



Exclusive SFS control seal washer provides security in preventing potential leak issues caused by improper or overdriven fastening.

Product selection and specifications

Material No.	Fastener Length		Thread Length*	Description	Carton Wt. (lbs.)	Carton Qty.
	(in)	(mm)				
1743220	1"	25	Full	WGP-#10x1-CS1/2	26	3,000
1743221	1-1/2"	38	Full	WGP-#10x1-1/2-CS1/2	27	2,500
1743222	2"	51	Full	WGP-#10x2-CS1/2	27	2,000
1743223	2-1/2"	64	Full	WGP-#10x2-1/2-CS1/2	26	1,500

Diameter: #10 (4.8 mm)
 Threads Per Inch: 12/24
 Head Style: 1/4" dia. HWH AF (6.3 mm)
 Washer: 1/2" Gavanized and EPDM control seal (12.7 mm)

Drill Point: Sharp point
 Drill Capacity: 24 ga. (0.6 mm)
 Thread Major Dia: 0.189" (4.8 mm)
 Thread Minor Dia: 0.124" (3.2 mm)

Pierces metal like its butter!

Don't just take our word for it – read what others have to say about the new Woodgrip+.

"I have personally used this screw and am impressed; they go through metal faster and cleaner than anything I have ever seen.

My nephew was impressed, he said he has never seen a screw like this that will go through a hem on trim and a piece of steel that fast."

Ernie Miller
NSA/CFO



"The new Woodgrip+ screws have been great so far! Our customers have said they are a much faster starting screw than the previous version. From a sales and inventory perspective it has been a seamless transition since the heads are identical to the old Woodgrip."

Joe Struble
Reurink Roofing & Siding

"As a post frame building supplier, we are always looking for top quality products to offer our clients. SFS gave us the opportunity to be part of a pilot program offering their new Woodgrip+ screws to our contractors for field testing, and we have received nothing but positive feedback. One customer said, "The redesigned tip definitely drills through the metal faster than the old design. We could even drive screws through truss plates when necessary without any problem." Another said, "I didn't have any complaints about the old screws, but the new screws are better all-around than the old ones." We love that Woodgrip+ uses the control seal washer, which we believe to be the best metal roofing washer on the market."

Elias Witmer
Ridge View Lumber



US
T 800 234 4533
us.sfs.com

Canada
T 866 847 5400
ca.sfs.com

Metric values are approximate conversions.

All information is non-binding and without guarantee. Before using the products, all specifications and calculations must be checked by a suitably qualified person and local regulations must be observed. This document is subject to revision. We reserve the right to make technical changes. (01/2023, V1.01, RC3019)